

UNCLASSIFIED

LEVEL III
1089035

AD A108222

U. S. N A V Y MARINE CLIMATIC ATLAS OF THE WORLD

VOLUME IX

WORLD-WIDE MEANS AND STANDARD DEV

PREPARED BY
NAVAL OCEANOGRAPHY COMMAND DETACHMENT, ASHEVILLE, NC

PREPARED FOR
COMMANDER, NAVAL OCEANOGRAPHY COMMAND
NSTL STATION, BAY ST. LOUIS, MS 39529

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

NAVAIR 50-1C-65

①

VEL
89035

LD


DTIC
DEC 8 1981
H

RD DEVIATIONS

SHEVILLE, N.C.

MAND

DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited



81 12 08254

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
	AD-A308222	
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED	
U. S. Navy Marine Climatic Atlas of the World Volume IX World-wide Means and Standard Deviations NAVAIR 50-1C-65	Reference Report	
7. AUTHOR(s)	6. PERFORMING ORG. REPORT NUMBER	
N/A	NAVAIR-50-1C-65	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	8. CONTRACT OR GRANT NUMBER(s)	
Naval Oceanography Command Detachment Federal Building Asheville, NC 28801		
11. CONTROLLING OFFICE NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
Commander Naval Oceanography Command NSTL Station Bay St Louis, MS 39529		
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	12. REPORT DATE	
	October 1981	
	13. NUMBER OF PAGES	
	15. SECURITY CLASS. (of this report)	
	Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
DTIC ELECTE DEC 8 1981		
18. SUPPLEMENTARY NOTES		
H 387195		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
Marine climatology, World-wide means and standard deviations, atmospheric pressure, surface air temperature, surface dew-point temperature, sea surface temperature, air-sea temperature difference, ocean waves, and wind speed.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
<p>The eight volume series of the U.S. Navy Marine Climatic Atlas of the World has had world-wide acceptance as an authoritative reference for large scale operational planning and applied research. This volume, based on the entire period of record available, resulted from the need to develop an automated quality control scheme for marine observations for use in the revision of the first 5 volumes of Atlas series. This was basically achieved by summarizing, analyzing and digitizing the mean and standard deviation charts that appear in</p>		

DD FORM 1473
1 JAN 73EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

this volume.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

U. S. N A V Y MARINE CLIMATIC ATLAS OF THE WORLD

VOLUME IX

WORLD-WIDE MEANS AND STANDARD DEVIAT

MAY 1981

**PREPARED BY
NAVAL OCEANOGRAPHY COMMAND DETACHMENT, ASHEVILLE, N.C.**

**PREPARED FOR
COMMANDER, NAVAL OCEANOGRAPHY COMMAND
NSTL STATION, BAY ST. LOUIS, MS 39529**

FOR SALE BY THE SUPERINTENDENT OF DOCUMENTS, U.S. GOVERNMENT PRINTING OFFICE, WASHINGTON D.C

NAVAIR 50-1C-65


IC WORLD

TANDARD DEVIATIONS

CHMENT, ASHEVILLE, N.C.

PHY COMMAND

MENT PRINTING OFFICE, WASHINGTON D.C. 20402



FOREWORD

The Naval Oceanography Command Detachment (NOCD), Asheville, NC, pursued the idea of producing a world atlas after the first five volumes of U.S. Navy Marine Climatic Atlas of the World had been revised. At the same time both NOCD and the National Climatic Center were interested in developing an automated quality control scheme for marine observations. This called for a data base of quality long-term global means and some measure of variability. Both these tasks were basically achieved by summarizing, analyzing and digitizing the mean and standard deviation charts that appear in this volume. The data used were derived primarily from the Marine Atlas project. The initial summary work was performed for application to this atlas and Defense Mapping Agency Pilot Charts.

ACKNOWLEDGEMENTS

This volume was prepared by direction of the Commander, Naval Oceanography Command and coordinated by the Naval Oceanography Command Detachment, Asheville, NC. Work was performed by the National Climatic Center.

Specific acknowledgment is made to members of the National Climatic Center: project leaders Messrs. J.D. Elms (Chief Analyst) and R.G. Quayle; Mr. Fred Doehring for his assistance in the analyses and quality control; Ms. I.S. Lewis and Mr. D.G. Marshbanks for their supervision of digitizing the charts; Messrs. M.G. Burgin and R.H. Courtney for technical work.

Thanks are also given to Dr. H.L. Crutcher, consulting meteorologist, for his assistance with the air temperature and dew point charts.

Accession For	
NTIS Grant	✓
DTIC TAB	
Unannounced	
Justification	
By	
Distribution	
Availability	
Dist	
A 24	

GPO Stock No. 008-042-00072-1

Price: \$36.00

TABLE OF CONTENTS

FOREWORD AND ACKNOWLEDGMENT									
TEXT									
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	S
SURFACE WIND MEANS.	2	16	30	44	58	72	86	100	1
SURFACE WIND STANDARD DEVIATIONS.	3	17	31	45	59	73	87	101	1
* SURFACE AIR TEMPERATURE MEANS	4	18	32	46	60	74	88	102	1
SURFACE AIR TEMPERATURE - STANDARD DEVIATIONS	5	19	33	47	61	75	89	103	1
SEA SURFACE TEMPERATURE - MEANS	6	20	34	48	62	76	90	104	1
SEA SURFACE TEMPERATURE STANDARD DEVIATIONS	7	21	35	49	63	77	91	105	1
AIR - SEA TEMPERATURE DIFFERENCE - MEANS	8	22	36	50	64	78	92	106	1
AIR - SEA TEMPERATURE DIFFERENCE - STANDARD DEVIATIONS	9	23	37	51	65	79	93	107	1
* DEW POINT TEMPERATURE - MEANS	10	24	38	52	66	80	94	108	1
DEW - POINT TEMPERATURE - STANDARD DEVIATIONS	11	25	39	53	67	81	95	109	1
* SEA LEVEL PRESSURE - MEANS	12	26	40	54	68	82	96	110	1
SEA LEVEL PRESSURE - STANDARD DEVIATIONS.	13	27	41	55	69	83	97	111	1
WAVE HEIGHTS - MEANS.	14	28	42	56	70	84	98	112	1
WAVE HEIGHTS - STANDARD DEVIATIONS.	15	29	43	57	71	85	99	113	1

* ISOPLETH ANALYSES PRESENTED FOR BOTH LAND AND SEA.

TABLE OF CONTENTS

	PAGE											
	iii											
	v											
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
	2	16	30	44	58	72	86	100	114	128	142	156
	3	17	31	45	59	73	87	101	115	129	143	157
	4	18	32	46	60	74	88	102	116	130	144	158
D DEVIATIONS	5	19	33	47	61	75	89	103	117	131	145	159
	6	20	34	48	62	76	90	104	118	132	146	160
D DEVIATIONS	7	21	35	49	63	77	91	105	119	133	147	161
FANS	8	22	36	50	64	78	92	106	120	134	148	162
ANDARD DEVIATIONS	9	23	37	51	65	79	93	107	121	135	149	163
	10	24	38	52	66	80	94	108	122	136	150	164
DEVIATIONS	11	25	39	53	67	81	95	109	123	137	151	165
	12	26	40	54	68	82	96	110	124	138	152	166
TIONS.	13	27	41	55	69	83	97	111	125	139	153	167
	14	28	42	56	70	84	98	112	126	140	154	168
	15	29	43	57	71	85	99	113	127	141	155	169

OR BOTH LAND AND SEA.

INTRODUCTION

The eight volumes of the series U.S. Navy Marine Climatic Atlas of the World, which were produced in the late 1950's and early 1960's, have had wide acceptance as an authoritative reference for large scale operational planning and applied research. In 1969 a feasibility study was undertaken by the Naval Weather Service Command and the Naval Oceanographic Office which led to the revision of the first five volumes of the series (North Atlantic, Vol. I, 1974; North Pacific, Vol. II, 1977; Indian Ocean, Vol. III, 1976; South Atlantic, Vol. IV, 1978; South Pacific, Vol. V, 1979). Before the revision began, an indepth review and validation of existing data were performed. Historical marine observations collected over more than 120 years by many nations were converted to a common magnetic tape format and utilized for the atlases. As each volume was revised, contemporary data were added to the historical data. The resulting data set was designated the Marine Atlas File.

Upon revision of the first five volumes it was determined that there was an insufficient increase in observations in the polar regions to warrant revising Volumes VI (Arctic Ocean, 1963) and VII (Antarctic, 1965). However, as a final step in the atlas project, data from the five atlas files plus data from the polar regions (all that the National Climatic Center had been able to collect through the late 1970's) were brought together to produce charts of the world oceans. The texts of the first five volumes may be referenced for more insight into the data sources and processing techniques.

THE INDIVIDUAL CHARTS

Detailed global analyses of long-term monthly climatological means and standard deviations were performed for the following elements:

1. Atmospheric Pressure
2. Surface Air Temperature
3. Surface Dew-Point Temperature
4. Sea Surface Temperature
5. Air-Sea Temperature Difference
6. Ocean Wave Height (higher of sea or swell)
7. Wind Speed

The climatic data (means, standard deviations, and observation counts) were plotted for each five-degree quadrangle onto an 80 X 107 cm Miller cylindrical projection of the world. These climatic maps were then carefully analyzed and manually adjusted for continuity and consistency. In many regions (coastal areas, ocean currents, etc.) where the five-degree resolution was not adequate, the individual atlas basin maps were referenced for one- and two-degree resolution. Ocean analyses were based solely on marine observations. The analyses over land of means of pressure, air temperature, and dew point were adapted from existing publications (annotated with an asterisk in the bibliography). These land analyses were included to provide continuity and to show general global patterns. Since they were adapted from publications with a variety of map projections and resolutions, it is likely that some detail was lost in the transposition. If highly accurate detail is needed over specific land locations, individual station summaries or other references should be consulted (see the bibliography).

Each chart was digitized with all inflection points and singularities identified. This was done from pole to pole and the results plotted to the original scale for quality control. Once the quality was assured, the charts were plotted at a reduced scale from 80 degrees north to 80 degrees south for this publication. If required, this digital data set can be converted into a global one-degree (or other grid mesh) grid for improvement of various climate models, quality control programs and data base systems.

The individual charts are self-explanatory. The means and standard deviations are presented by isopleths (lines connecting points of equal magnitude). The standard deviations are provided to give a measure of relative variability of each element. The standard deviations were computed for each five-degree area using the following expression:

$$S = \left[\frac{N \sum X_i^2 - (\sum X_i)^2}{N(N-1)} \right]^{1/2}$$

where N is the number of observations in the sample and X_i is the i th realization of the random variable X. The use of (N-1) in the denominator gives the best estimate of the population standard deviations. The means, \bar{X} , are computed from:

$$\bar{X} = \sum X_i / N$$





Fig. 1

One should keep in mind that the standard deviation, the square root of the second moment about the mean, is merely an arithmetic function that gives an objective measure of dispersion or variability. For data that are approximately normally distributed, the mean plus or minus certain multiples of the standard deviation will result in objective estimates of the probability of encountering various ranges of the variable. Approximately 34.1 percent of the values can be expected to fall between \bar{X} and $\bar{X} + 1S$, 13.6 percent between $\bar{X} + 1S$ and $\bar{X} + 2S$ and 2.1 percent between $\bar{X} + 2S$ and $\bar{X} + 3S$. A mirror image is found on the negative side of the mean. Elements such as pressure, air temperature, sea surface temperature (in areas where freezing does not present a lower bound), air-sea temperature differences, and dew point can usually be described by the normal distribution. Useful objective approximations of variability can also be determined for wind speed and wave height, but negative (impossible) values and other non-normalities in the distributions will render the standard deviations of these elements far less useful than for other elements. The same is sometimes true of sea surface temperature, particularly in very cold areas.

An important property of the means and standard deviations shown in this atlas is that they were computed from all ship observations within a five-degree quadrangle over the entire period of available data. Misinterpretation may result if the possible consequences of this procedure are not carefully considered. Specifically:

1. Stationarity (no significant trends in the data) must be assumed where different areas contain data from different periods of record. This was tested on several samples and it was determined that there were no operationally significant trends. Operationally significant accuracies for most climatic applications were considered to be:

Temperatures	$\pm 1^\circ\text{C}$
Pressure	$\pm 1 \text{ mb}$
Wind Speeds	$\pm 3 \text{ Kts}$ or 10%, whichever is greater
Wave Heights	$\pm .5 \text{ m}$

2. Inhomogeneity among various data sources appeared to be a relatively greater problem than stationarity. It was solved through empirical adjustment or deletion of inhomogeneous data sets.

3. Data over an entire month were considered, without regard to the day of the month. Thus, if all data from one area were clustered at the beginning of the month, while data from another area were clustered at the end of the month, a potential bias could result. On the average these problems were not operationally significant. The same sort of bias could occur from sampling only selected hours of the day. Again, the problems were not operationally significant.

4. Data were accumulated for five-degree areas. For different latitudes, and in coastal areas, five-degree quadrangles represent different geographical areas (as measured in square miles). Use of the centroid of the marine area as the assumed locus of the element being analyzed was appropriate in most instances. Where this was not true, earlier atlas charts drawn from one-degree and two-degree plots were used for guidance. However, the standard deviations presented a special problem, as they represented not only the point variability (for each point within the five-degree areas), but also the areal variability (caused by gradients of the variables across the areas).

Despite these problems, the resulting charts proved to be accurate when compared objectively to the only climatological data available over the oceans - the Stations (OWSs). The OWS network data base (see I created through the cooperation of several maritime nations over three decades. Locations are not actually fixed, but the ships attempt to remain close to their designated positions. Unfortunately, many of these stations have been phased out in recent years, with only a few being replaced by buoys. In order to provide a more complete picture, the standard deviations were computed for the OWSs and compared with the standard deviations interpolated from the five-degree charts. Linear regression was performed for an objective comparison. The correlations indicate that a strong linear relationship exists for all standard deviations. The results are shown in Fig. 2. The linear correlation coefficient (r) appears in the upper right corner of each chart. Zero can be interpreted as no linear correlation and no correlation. The percentage of variability described by the regression (an indication of "goodness of fit") is equal to r^2 . However, this is not indicative of how close the analysis is to the point source data. That relationship is a function of the intercept values. Results show that the means are in good agreement, but the standard deviations vary considerably from point to point depending largely upon geography and climate. However, point standard deviations can be estimated from the maps by using some degree of confidence. To approximate a point standard deviation empirically from the maps and Fig. 2, multiply the value from the map by the slope (a_1) and add the signed intercept (a_0), or simply perform the operations graphically.

In areas where the analyst felt that the gradient was too small to maintain visual separation of isopleths after reduction, some isopleths were omitted. This occurred mainly in the higher latitude areas and near the ice limit. Also, because of the gradient, the isopleths were more limited than over water.

Since the mean ice limit approximates the minus two degree temperature isopleth, this analyzed lower limit was used as a boundary for the waves and air-sea temperature differences. Also keep in mind that when using the wave height chart (or swell), combined sea wave and swell values may be higher. In order to make the air-sea temperature differences agree with the mean air and mean sea temperature charts, the differences were derived graphically. This restricted the resolution to Celsius.

ard deviation, the square root of
merely an arithmetic function that
or variability. For data that are
mean plus or minus certain
result in objective estimates of
ious ranges of the variable.
s can be expected to fall between
 $\bar{X} + 1S$ and $\bar{X} + 2S$ and 2.1
A mirror image is found on
nts such as pressure, air tem-
areas where freezing does not
ature differences, and dew point
distribution. Useful objective
e determined for wind speed and
lues and other non-normalities in
deviations of these elements far
e same is sometimes true of sea
cold areas.

standard deviations shown in this
all ship observations within a
time period of available data.
possible consequences of this
Specifically:

ends in the data) must be assumed
om different periods of record.
t was determined that there were
ationally significant accuracies
dered to be:

, whichever is greater

data sources appeared to be a
narity. It was solved through
homogeneous data sets.

ere considered, without regard to
a from one area were clustered at
from another area were clustered
as could result. On the average
significant. The same sort of bias
d hours of the day. Again, the
ant.

five-degree areas. For different
re-degree quadrangles represent
ed in square miles). Use of the
sumed locus of the element being
nces. Where this was not true,
egree and two-degree plots were
ard deviations presented a special
e point variability (for each point
the areal variability (caused by
eas).

Despite these problems, the resulting charts proved to be surprisingly accurate when compared objectively to the only long-term point climatological data available over the oceans - the Ocean Weather Stations (OWSs). The OWS network data base (see Fig. 1) has been created through the cooperation of several maritime nations over the past three decades. Locations are not actually fixed, but vary very little, as the ships attempt to remain close to their designated positions. Unfortunately, many of these stations have been phased out in recent years, with only a few being replaced by buoys. In order to compare the independently analyzed charts with data from OWSs, means and standard deviations were computed for the OWSs and compared to those values interpolated from the five-degree charts. Linear regression analysis was performed for an objective comparison. The correlation coefficients indicate that a strong linear relationship exists for all the means and standard deviations. The results are shown in Fig. 2 a-n, where the linear correlation coefficient (r) appears in the upper right hand corner. Zero can be interpreted as no linear correlation and one as perfect correlation. The percentage of variability described by the linear regression (an indication of "goodness of fit") is equal to $r^2 \times 100$. However, this is not indicative of how close the analyzed values are to the point source data. That relationship is a function of the slope and intercept values. Results show that the means are in close agreement, but the standard deviations vary considerably from point-source values, depending largely upon geography and climate. However, it appears that point standard deviations can be estimated from the mapped values with some degree of confidence. To approximate a point standard deviation or mean empirically from the maps and Fig. 2, multiply the five-degree value from the map by the slope (a_1) and add the signed value of the intercept (a_0), or simply perform the operations graphically.

In areas where the analyst felt that the gradient was too tight to maintain visual separation of isopleths after reduction, selected isopleths were omitted. This occurred mainly in the higher latitudes near coastal areas and near the ice limit. Also, because of the gradient over land, the isopleths were more limited than over water.

Since the mean ice limit approximates the minus two degree Celsius sea temperature isopleth, this analyzed lower limit was adopted as the boundary for the waves and air-sea temperature differences. One should also keep in mind that when using the wave height charts (higher of sea or swell), combined sea wave and swell values may be significantly higher. In order to make the air-sea temperature difference charts agree with the mean air and mean sea temperature charts, the analyses were derived graphically. This restricted the resolution to two degrees Celsius.









Fig. 2






Fig. 2








Fig. 2 (Cont'd)









Fig. 2 (Cont'd)





Fig. 2 (Cont'd)

BIBLIOGRAPHY

NOTE: References annotated with an asterisk (*) were consulted for adaptation of the analyses over land.

American Geographical Society: The Antarctic Atmosphere: Climatology of the Surface Environment, FOLIO 8, New York, N.Y., 1967.

*Brower, W.A., H.F. Diaz, A.S. Prechtel, and J.L. Wise: Climatic Atlas of the Outer Continental Shelf Waters and Coastal Regions of Alaska, Volumes I, II, III, 1977.

*Canada, Department of Transport, Meteorological Branch: Atlas of Climatic Maps, Series 1 to 10, 1967 to 1970.

*Crutcher, H.L. and J.M. Meserve: Selected Level Heights, Temperatures and Dew Points for the Northern Hemisphere, Including Monthly Mean Wind Speed and Direction, NAVAIR 50-1C-52, 1970.

Deutsches Hydrographisches Institut: Monatskarten für den Sudatlantischen Ozean, Dritte Auflage, Hamburg, 1971.

*Fukui, Ed. E.: The Climate of Japan, Developments in Atmospheric Science 8, Elsevier Scientific Publishing Company and Kodansha Ltd., Japan, 1977.

Hastings, Andrew D., Jr.: Surface Climate of the Arctic Basin, Report ETL-TR-71-5, U.S. Army Engineer Topographic Laboratories, 1971.

Japan Meteorological Agency: Oceanographic Atlas of the Northwest Pacific, Volume 1, March 1975.

*Landsberg, H.F., Editor in Chief: World Survey of Climatology, (Various Volumes), Elsevier Publishing Company, the Netherlands.

*Ohman, Howard L.: Climatic Atlas of Southeast Asia, Technical Report ES-19, U.S. Army Natick Laboratories, December 1965.

Robinson, M.K.: Atlas of North Pacific Ocean Monthly Mean Temperatures and Mean Salinities of the Surface Layer, Naval Oceanographic Office Reference Publication 2, Department of the Navy, Washington, DC, 1976.

*Thompson, B.W.: The Climate of Africa, Oxford University Press

*U.S. Air Force, ETAC Air Weather Service: N and A-F Standard Salinities for Selected Stations, Asheville, NC.

*U.S. Army Natick Laboratories, Earth Science Division: Mean Monthly Temperatures, Technical Report ES-10, August 1966.

*U.S. Army Natick Laboratories: Environment of the Central Highlands, Technical Report 71-19-ES Series ES-62, December 1971.


U.S. Department of Agriculture, Weather Bureau: Atlas of Charts of the Oceans, Washington, 1938.

*U.S. Department of Commerce, Environmental Science Services Administration, Environmental Data Service: Climatic Atlas of the States, June 1968.

*: World Weather Records 1 (Various Volumes), Washington, DC, 1965-1968.

U.S. Navy Hydrographic Office: Arctic Atlas of Mean Air Surface Temperatures and Sea Ice Conditions, H.O. Pub. No. 1, Washington, DC, 1952.

*U.S. Navy, Naval Weather Service Command: Climate of the Upper Southern Hemisphere, Volume 1, NAVAIR 50-1C-55, 1969.



Atlas of North Pacific Ocean Monthly Mean Temperatures and Salinities of the Surface Layer, Naval Oceanographic Publication 2, Department of the Navy, Washington,

The Climate of Africa, Oxford University Press, 1965.

AC Air Weather Service: N and A-F Standard Summaries, Asheville, NC.

Woods Hole Laboratories, Earth Science Division: Atlas of Temperatures, Technical Report ES-10, August 1964.

Woods Hole Laboratories: Environment of the Central Asian Region, Report 71-19-ES Series ES-62, December 1970.

U.S. Department of Agriculture, Weather Bureau: Atlas of Climatic Data, Washington, 1938.

U.S. Department of Commerce, Environmental Science Services Administrative Data Service: Climatic Atlas of the United States, Washington, DC, 1965-1968.

U.S. Department of Commerce, Environmental Science Services Administrative Data Service: World Weather Records 1951-60, Washington, DC, 1965-1968.

U.S. Department of Commerce, Environmental Science Services Administrative Data Service: Arctic Atlas of Mean Air and Sea Surface Temperatures and Sea Ice Conditions, H.O. Pub. No. 573, 1952.

U.S. Navy Weather Service Command: Climate of the Upper Air: Volume I, NAVAIR 50-1C-55, 1969.

U.S. Navy Weather Service Command: Marine Climatic Atlas of the World, Volume I (Revised), North Atlantic Ocean, NAVAIR 50-1C-528, 1974; Volume II (Revised), North Pacific Ocean, NAVAIR 50-1C-529, 1977; Volume III (Revised), Indian Ocean, NAVAIR 50-1C-530, 1976; Volume IV (Revised), South Atlantic Ocean, NAVAIR 50-1C-531, 1978; Volume V (Revised), South Pacific Ocean, NAVAIR 50-1C-532, 1979; Volume VIII, The World, NAVAIR 50-1C-54, 1969.


* U.S. Navy Weather Service Command: World-Wide Airfield Summaries, (Various Volumes), Asheville, NC.

*World Meteorological Organization: Climatic Atlas of Europe I, Technical Supervisor Professor F. Steinhauser, Budapest, Hungary, 1970.


* U.S. Navy Weather Service Command: Climatic Atlas of North and Central America I, Technical Supervisor Professor F. Steinhauser, Budapest, Hungary, 1979.

MEANS and STANDARD DEVIATIONS


JANUARY



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS



ATIONS


JANUARY




2

JANUARY


S



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

JANUARY




JANUARY


SEA



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS




NDARD DEVIATIONS

JANUARY



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

JANUARY




JANUARY


DEW



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




DEVIATIONS


JANUARY



JANUARY




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




RD DEVIATIONS


JANUARY



JANUARY




WAVE HEIGHTS (M) - MEANS




TIONS


JANUARY




FEBRUARY



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




ONS

FEBRUARY




FEBRUARY


SURF



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




RD DEVIATIONS

FEBRUARY




FEBRUARY


SEA SU



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS




D DEVIATIONS

FEBRUARY



FEBRUARY


AIR-SEA TEM



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




ANDARD DEVIATIONS


FEBRUARY




FEBRUARY



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




DEVIATIONS


FEBRUARY




FEBRUARY



SEA LEVEL PRESSURE (MBS) - MEANS




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




EVIACTIONS

FEBRUARY




2


FEBRUARY




WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




FEBRUARY




MARCH



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




ATIONS


MARCH




MARCH



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




RD DEVIATIONS

MARCH




2


MARCH




SEA SURFACE TEMPERATURE (°C) - MEANS



SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS



MARCH



MARCH


AIR



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




) - STANDARD DEVIATIONS


MARCH




MARCH



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




MARCH




MARCH




SEA LEVEL PRESSURE (MBS) - MEANS




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




MARCH



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




IONS


MARCH




APRIL



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




IATIONS

APRIL




APRIL


SI



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




DARD DEVIATIONS


APRIL




APRIL



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS




ARD DEVIATIONS

APRIL



APRIL


AIR-SEA



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




STANDARD DEVIATIONS


APRIL




APRIL



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




D DEVIATIONS


APRIL



APRIL




SEA LEVEL PRESSURE (MBS) - MEANS



The map is a hand-drawn contour map of a coastal area. It features several landmasses and a large body of water on the left. The central landmass contains a large lake. The map is oriented with North at the top. Contour lines are drawn and labeled with numerical values. The labels include 2.0, 4.0, 6.0, 8.0, 10.0, 12.0, 14.0, 16.0, and 18.0. The contour lines are more densely packed in some areas, indicating steeper slopes. The map is a black and white line drawing.


DEVIATIONS

APRIL




2


APRIL



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




ONS


APRIL




MAY



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




IATIONS

MAY




MAY


SURFA



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




NDARD DEVIATIONS

MAY




MAY


SEA



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS




ARD DEVIATIONS

MAY



MAY


AIR-SEA



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATION




STANDARD DEVIATIONS

MAY




MAY

D



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




RD DEVIATIONS


MAY



MAY




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




DEVIATIONS


MAY




MAY



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS



ONS

MAY





0.4
0.6
0.8
0.8
0.6
0.4

0.4



0.4



1.2

0.8

0.4

1.2


0.8

0.4


0.8

1.2


JUNE



SURFACE WINDS (KTS) - MEANS




6 SURFACE WINDS (KTS) - STANDARD DEVIATIONS



EVIACTIONS


JUNE




2

JUNE


SUR



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




BOARD DEVIATIONS

JUNE




JUNE


SEA S



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

JUNE



JUNE


AIR-SEA TEM



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATION




NDARD DEVIATIONS


JUNE




JUNE



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




ARD DEVIATIONS

JUNE




JUNE




1

DEVIATIONS


JUNE




JUNE



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




ATIONS


JUNE




JULY



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




DEVIATIONS

JULY




JULY


SL



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

JULY




JULY


SE



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS



ARD DEVIATIONS

JULY



JULY


AIR-SEA TEA



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATION




STANDARD DEVIATIONS

JULY




JULY


D



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




STANDARD DEVIATIONS


JULY




JULY




SEA LEVEL PRESSURE (MBS) - MEANS



SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




JULY




2

JULY



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




TIONS


JULY




AUGUST



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




IONS

AUGUST




AUGUST


SURF



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




ARD DEVIATIONS

AUGUST




AUGUST


SE



SEA SURFACE TEMPERATURE (°C) - MEANS



SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS



DARD DEVIATIONS


AUGUST




2

AUGUST


AIR-SEA TEN



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATION




STANDARD DEVIATIONS

AUGUST




AUGUST


DEV



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




DARD DEVIATIONS


AUGUST




AUGUST



SEA LEVEL PRESSURE (MBS) - MEANS




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




DEVIATIONS


AUGUST




AUGUST



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




ONS


AUGUST




SEPTEMBER



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS



VIATIONS


SEPTEMBER




2

SEPTEMBER


SUR



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

SEPTEMBER




SEPTEMBER


SEA



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS



DARD DEVIATIONS

SEPTEMBER



SEPTEMBER


AIR-SEA TEAM



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATION




STANDARD DEVIATIONS


SEPTEMBER



SEPTEMBER




DEW-POINT TEMPERATURE (°C) - MEANS




RD DEVIATIONS

SEPTEMBER




2


SEPTEMBER



SEA LEVEL PRESSURE (MBS) - MEANS




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




DEVIATIONS


SEPTEMBER




SEPTEMBER



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




ONS

SEPTEMBER




2


OCTOBER



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




VARIATIONS

OCTOBER




OCTOBER


SUR



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




DARD DEVIATIONS

OCTOBER




OCTOBER


SEA



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

OCTOBER



OCTOBER


AIR-SEA



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATION




- STANDARD DEVIATIONS


OCTOBER




OCTOBER



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




DARD DEVIATIONS


OCTOBER




OCTOBER



SEA LEVEL PRESSURE (MBS) - MEANS




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




D DEVIATIONS


OCTOBER



OCTOBER




WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




OCTOBER




NOVEMBER



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




DEVIATIONS

NOVEMBER




NOVEMBER


SU



SURFACE AIR TEMPERATURE (°C) - MEANS




SURFACE AIR TEMPERATURE (°C) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

NOVEMBER




NOVEMBER


SEA S



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS



NDARD DEVIATIONS

NOVEMBER



NOVEMBER


AIR-SEA T



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




STANDARD DEVIATIONS

NOVEMBER




NOVEMBER

D




1

DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE (°C) - STANDARD DEVIATIONS




ARD DEVIATIONS


NOVEMBER



NOVEMBER




SEA LEVEL PRESSURE (MBS) - MEANS




NOVEMBER




NOVEMBER



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS




ONS


NOVEMBER




DECEMBER



SURFACE WINDS (KTS) - MEANS




SURFACE WINDS (KTS) - STANDARD DEVIATIONS




VIATIONS

DECEMBER




DECEMBER

SU




SURFACE AIR TEMPERATURE (°C) - MEANS




STANDARD DEVIATIONS

DECEMBER




DECEMBER


SEA



SEA SURFACE TEMPERATURE (°C) - MEANS




SEA SURFACE TEMPERATURE (°C) - STANDARD DEVIATIONS




ARD DEVIATIONS

DECEMBER



DECEMBER


AIR-SEA TE



AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - MEANS




AIR-SEA TEMPERATURE DIFFERENCE ($^{\circ}\text{C}$) - STANDARD DEVIATIO




- STANDARD DEVIATIONS

DECEMBER




DECEMBER


D



DEW-POINT TEMPERATURE (°C) - MEANS




DEW-POINT TEMPERATURE ($^{\circ}\text{C}$) - STANDARD DEVIATIONS




WARD DEVIATIONS


DECEMBER




DECEMBER



SEA LEVEL PRESSURE (MBS) - MEANS




SEA LEVEL PRESSURE (MBS) - STANDARD DEVIATIONS




DEVIATIONS


DECEMBER




DECEMBER



WAVE HEIGHTS (M) - MEANS




WAVE HEIGHTS (M) - STANDARD DEVIATIONS



TIONS

DECEMBER



2